



CONTOURS ON P ELECTRIC LOG MARKER

ELK HILLS OIL FIELD



SERIES	FORMATION	•	MEMBER AND ZONE	ELI	POSITE ECTRIC LOG
ENE	TULARE				W 1000
PLEISTOCENE	SAN	A B C D	2 nd MYA 3 rd MYA 3 rd MYA 4 in MYA ABOVE SCALEZ 3 - MULINIA = 17 YUM		2000
PLIOCENE	ETCHEGOIN	w wi	B TYLING B B TYLING LO MARKER LHELM		
MIOCENE	MONTEREY	ANTELOPE S	OLIG EF RIDGE N (24- N SAN PELECTRIL LOG MARKE A B C	}	7000
		GC ME	DONALD VILWATER VULD		-{0000
	TEMBLOR		INTOS		2 000 2 000



LOCATION: 10 miles north of Taft

TYPE OF TRAP: Anticlines; lithofacies changes

ELEVATION: 300 - 1,500

DISCOVERY DATA

						al dally luction	
Zone	Present operator and well name	Original operator and well name	Sec. T. & R.	R & M	Oil (bb!)	Gas (Mcf)	Date of completion
Mya (gas)	Unit Operation Naval Petroleum Reserve No. 1, Standard Oil Co. of Calif., Operator No. 5X-36R	Standard Oil Co. of Calif. "Hay" 5	36 30S 23E		100.7	33,000	
Upper A	Unit Operation Naval Petroleum Reserve No. 1, Standard Oil Co. of Calif., Operator No. 1-26R	Associated Oil Co. No. 1	26 30S 23E	MD	15	N.A.	Jun 1911
Olig	Unit Operation Naval Petroleum Reserve No. 1, Standard Oil Co. of Calif., Operator No. 362-30R	Same as present	30 30S 23E	MD	0	В	N.A.
Stevens	Unit Operation Naval Petroleum Reserve No. 1, Standard Oil Co. of Calif., Operator No. 5-342-31S	Standard Oil Co. of Calif. No. 42	31 30S 24E	MD	1,284	1,039	Aug 1941
Carneros	Unit Operation Naval Petroleum Reserve No. 1, Standard Oil Co. of Calif., Operator No. 555-30R	Unit Operation Naval Petroleum Reserve No. 1, Standard Oil Co. of Calif., Operator No. X-55-30R	30 30S 23E	MD	230	1,680	Jan 1952

Remarks: ${}^{\Lambda}_{}$ Includes Scalez, Mulinia, Bittium, Wilhelm-Gusher, and Calitroleum sands. ${}^{B}_{}$ Not tested in this well. Potential is 1,000 Mcf per day.

DEEPEST WELL DATA

_		Date			Deoth	At total d	epth
Present operator and well name	Original operator and well name	started	Sec. T. & R.	B & M	(feet)	Strata	Age
Unit Operation Naval Petroleum Reserve No. 1,	Unit Operation Naval Petroleum Reserve No. 1,	Aug 1950	30 30S 23E	MD	12,856	Upper Santos	early Mio
Standard Oil Co. of Calif., Oper. No. 555-30R	Standard Oil Co. of Calif., Oper. No. X-55-30R					**	

PRODUCING ZONES

	Average Average net thickness		'	Geologic	Oil gravity	Salinity of	Class BOPE
Zone	(feet)	(feet)	Age	Formation	(°API) or Gas (blu)	zone water gr/gal	required
Mya (gas)	2,300	50	Pliocene	San Joaquin	1,015	2,780	III
Scalez	2,400	80	Pliocene	San Joaquin	18	2,100	See Remarks
hulinia	2,700	55	Pliocene	Etchegoin		1,900	See Remarks
ittium	2,850	20	Pliocene	Etchegoin	to	2,000	See Remarks
ilhelm-Gusher	3,000	60	Pliocene	Etchegoin		1,700	See Remarks
alitroleum	3,200	22	Pliocene	Etchegoin	40	Ń.A.	See Remarks
lig	5,000	15	late Miocene	Monterey	1	1,500	III
tevens	6,500	-, 800	late Miocene	Monterey	35	1,200	īv
Carneros	9,300	200	early Miocene	Temblor	50	750	ΪΫ

PRODUCTION DATA (Jan. 1, 1973) (Dry gas production data not included - see Remarks)

1972 Production			1972 Proved	1972 Average number	Cumulative	production	Peak oil prod	uction	Total num	ber of wells	Maximum proved
Oil (bb!)	Net gas (Mcf)	Water (bb1)	acreage	producing wells	Oil (bbl)	Gas (Mcf)	Barrels	Year	Drilled	Completed	acreage
776,469	13,380	7,647,760	18,590	119	281,627,730	169,552,289	17,990,462	1921	1,238	1,149	19,770

STIMULATION DATA (Jan. 1, 1973)

Type of project	Date started	Cumulative injection - Water, bbl; Gas, Mcf; Steam, bbl (water equivalent)	Maximum number of wells used for injection
Water flood Gas injection for repressur- ing	1957	50,953,625	4
	1945	33,714,948	5

SPACING ACT: Does not apply

BASE OF FRESH WATER: None

CURRENT CASING PROGRAM: Upper zones: 10 3/4" cem. 200; 7" cem. above zone; 5 1/2" liner landed through zone. Lower zones: 10 3/4" cem. 900; 7" cem. above zone; 5 1/2" liner landed through zone.

METHOD OF WASTE DISPOSAL: Percolation and evaporation sumps located on outcrop of early Tulare; injection in water flood projects.

REMARKS: BOPE not required for development wells, except in areas where shallow gas zones are present, then Class III is required. No dry gas production in 1972; cumulative dry gas production 98,499,119 Mcf; peak production (1947) 3,317,692 Mcf; 11 dry gas wells were completed.

REFERENCES: Lorshbough, A.L., Western Portion of Elk Hills Oil Field: Calif. Div. of Oil and Gas, Summary of Operations -- Calif. Oil Fields, Vol. 53,

ERENCES: Lorshbough, A.L., Western Portion of Elk Hills Oil Field: Calif. Div. of Oil and Gas, Summary of Operations--Calif. Oil Fields, Vol. 53, No. 1 (1967).

McLaughlin, R.P., Natural Gas Development in the Elk Hills, Kern County, Calif.: Calif. State Mining Bureau, Summary of Operations--Calif. Oil Fields, Vol. 4, May (1919).

Roberts, D.C., Fossil Markers of Midway-Sunset-Elk Hills Region in Kern County, Calif.: Calif. State Mining Bureau, Summary of Operations--Calif. Oil Fields, Vol. 12, Apr (1926).

Saunders, L.W., Recent Developments in the East End of the Elk Hills Oil Field: Calif. State Mining Bureau, Summary of Operations--Calif. Oil Fields, Vol. 10, May (1925).

Thoms, C.C. and F.M. Smith, Notes on Elk Hills Oil Field: Calif. State Mining Bureau, Summary of Operations--Calif. Oil Fields, Vol. 7, No. 1 (1921).